.Cł	nber: 09/6 nanged a file from no		·· <u>«</u> A }	Edited by: Verified by:	-()-
			16		i de
Ci	nanged the margins i	n cases where the s	equence text wa	is two speed down to the	e next line.
Ed	lited a format error in	the Current Applica	tion Data sectio	n, specifically:	
Ed ap	lited the Current Appl plicant was the p	lication Data section prior application data	with the actual; or other _	current number. The nu	ımber inputt
Ad	ded the mandatory h	eading and subhead	lings for "Currer	t Application Data".	
Edi	ited the "Number of S	Sequences" field. Th	ne applicant spe	lled out a number instea	ad of using a
Chi	anged the spelling of	a mandatory field (t	he headings or	subheadings), specifical	lly:
Cor	тесted the SEQ ID N	IO when obviously in	correct. The se	equence numbers that w	rere edited v
Inse	erted or corrected a n	nucleic number at the	end of a nucle	ic line. SEQ ID NO's ed	dited:
Con	rected subheading pl	lacement. All respor	nses must be or	the same line as each	subheading
app	ilcant placed a respo	nse below the subhe	eading, this was	moved to its appropriate	e place.
Inse	erted colons after hea	adings/subheadings.	. Headings edite	ed included:	
Del	eted extra, invalid, he	eadings used by an a	applicant, specif	ically:	
— Del		"garbage" at the beg	ginning/end of fil	es; secretary initial	s/filename a
Del	eted: non-ASCII	"garbage" at the begughout text; ☐ other	ginning/end of fil	es; secretary initial	s/filename a
Del	eted: non-ASCII	"garbage" at the begughout text; ☐ other	ginning/end of fil er invalid text, su	es; secretary initial	
Del Inse	eted: Inon-ASCII page numbers throuerted mandatory head rected an obvious en	"garbage" at the begughout text; ☐ other dings, specifically: _ tror in the response,	ginning/end of fil er invalid text, su specifically:	es; secretary initial	,
Del Inse Cor	eted: Inon-ASCII page numbers throuerted mandatory head rected an obvious en	"garbage" at the begughout text; ☐ other dings, specifically:	ginning/end of filer invalid text, su specifically:	es; Secretary initial such as secretary init	,
Del Inse Cor Edit	leted: non-ASCII page numbers through page numbers through parted mandatory head rected an obvious ended identifiers where under the rected an error in the	"garbage" at the begughout text; ☐ other dings, specifically:	ginning/end of filer invalid text, su specifically: out lower case is ces field, specifi	es; secretary initial such as required, or vice versa.).
Del Inse Cor Edit Con	leted: Inon-ASCII page numbers through page numbers through parted mandatory head rected an obvious ended identifiers where under the lard Page Break" cooled ending stop code	"garbage" at the begughout text; □ other dings, specifically: □ other dings, specifically: □ or in the response, □ upper case is used by Number of Sequence de was inserted by the on in amino acid sequence of the control of the con	ginning/end of filer invalid text, su specifically: out lower case is ces field, specified applicant. All	es; Secretary initial such as secretary init	deleted.
Del Inse Cor Edit Con	leted: non-ASCII page numbers through page numbers through parted mandatory head rected an obvious ended identifiers where under the lard Page Break" cooled ending stop code a Patentin bug). See	"garbage" at the begughout text; ☐ other dings, specifically:	ginning/end of filer invalid text, su specifically: out lower case is ces field, specifies the applicant. All	es; secretary initial such as required, or vice versa. cally:	deleted.
Del Inse	leted: non-ASCII page numbers through page numbers through parted mandatory head rected an obvious ended identifiers where under the lard Page Break" cooled ending stop code a Patentin bug). See	"garbage" at the begughout text; ☐ other dings, specifically:	ginning/end of filer invalid text, su specifically: out lower case is ces field, specified applicant. All	es; secretary initial such as required, or vice versa. cally:	deleted.
Del Inse	leted: non-ASCII page numbers through page numbers through parted mandatory head rected an obvious ended identifiers where under the lard Page Break" cooled ending stop code a Patentin bug). See	"garbage" at the begughout text; ☐ other dings, specifically:	ginning/end of filer invalid text, su specifically: out lower case is ces field, specifies the applicant. All	es; secretary initial such as required, or vice versa. cally:	deleted.

P4/09

RAW SEQUENCE LISTING

DATE: 06/17/2002

PATENT APPLICATION: US/09/673,274

TIME: 19:40:18

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF3\06172002\1673274.raw

4 <110> APPLICANT: LAMBERTY, MIREILLE BULET, PHILLIPE BROOKHART, GARY 6 7 HOFFMAN, JULES 9 <120> TITLE OF INVENTION: GENE CODING FOR HELIOMICINE, AND USE THEREOF 12 <130> FILE REFERENCE: A33595-PCT-USA 14 <140> CURRENT APPLICATION NUMBER: 09/673,274 15 <141> CURRENT FILING DATE: 1999-04-12 17 <150> PRIOR APPLICATION NUMBER: PCT/FR99/00843 18 <151> PRIOR FILING DATE: 1999-04-12 20 <150> PRIOR APPLICATION NUMBER: FR 98 04933 21 <151> PRIOR FILING DATE: 1998-04-15 23 <160> NUMBER OF SEQ ID NOS: 38 25 <170> SOFTWARE: FastSEQ for Windows Version 4.0 27 <210> SEQ ID NO: 1 28 <211> LENGTH: 147 29 <212> TYPE: DNA 30 <213> ORGANISM: Artificial Sequence 32 <220> FEATURE: 33 <223> OTHER INFORMATION: SYNTHETIC POLYNUCLEOTIDE 36 <400> SEQUENCE: 1 37 agcttggata aaagagacaa gttgattggc agctgtgttt ggggcgccgt caactacact 60 38 agtgactgca acggcgagtg caagcgccgc ggttacaagg gtggccattg tggatccttc 120 39 gctaacgtta actgttggtg tgaaacc 41 <210> SEQ ID NO: 2 42 <211> LENGTH: 169 43 <212> TYPE: DNA 44 <213> ORGANISM: Artificial Sequence 46 <220> FEATURE: 47 <223> OTHER INFORMATION: SYNTHETIC POLYNUCLEOTIDE 50 <400> SEQUENCE: 2 51 gataagetta teggtteetg egtgtggggt getgtgaaet acaetteega ttgcaaeggt 60 52 gagtgcaaga ggaggggtta caagggtggt cactgcggtt ccttcgctaa cgtgaactgc 120 53 tggtgcgaga cttgagagct cggcgaggcg aacgtgtcga cggatccgg 55 <210> SEQ ID NO: 3 56 <211> LENGTH: 261 57 <212> TYPE: DNA 58 <213> ORGANISM: Artificial Sequence 60 <220> FEATURE: 61 <223> OTHER INFORMATION: SYNTHETIC POLYNUCLEOTIDE 64 <400> SEQUENCE: 3 65 ccatgggttt cgtgcttttc tctcagcttc catctttcct tcttgtgtct actcttcttc 60

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF3\06172002\I673274.raw

66 ttttccttgt gatctctcac tcttgccgtg ccgataagct tatcggttcc tgcgtgtggg 120 67 gtgctgtgaa ctacacttcc gattgcaacg gtgagtgcaa gaggaggggt tacaagggtg 180 68 gtcactgcgg ttccttcgct aacgtgaact gctggtgcga gacttgagag ctcggcgagg 240 69 cgaacgtgtc gacggatccg g 71 <210> SEQ ID NO: 4 72 <211> LENGTH: 120 73 <212> TYPE: DNA 74 <213> ORGANISM: Artificial Sequence 76 <220> FEATURE: 77 <223> OTHER INFORMATION: SYNTHETIC POLYNUCLEOTIDE 80 <400> SEQUENCE: 4 81 gcgtcgacgc gatgggtttc gtgcttttct ctcagcttcc atctttcctt cttgtgtcta 60 82 ctcttcttct tttccttgtg atctctcact cttgccgtgc tggagacgcg aattcacaca 120 85 <210> SEQ ID NO: 5 86 <211> LENGTH: 75 87 <212> TYPE: DNA 88 <213> ORGANISM: Artificial Sequence 90 <220> FEATURE: 91 <223> OTHER INFORMATION: SYNTHETIC POLYNUCLEOTIDE 94 <400> SEQUENCE: 5 95 gcgtcgacgc gatgggtttc gtgcttttct ctcagcttcc atctttcctt cttgtgtcta 60 96 ctcttcttct tttcc 98 <210> SEQ ID NO: 6 99 <211> LENGTH: 72 100 <212> TYPE: DNA 101 <213> ORGANISM: Artificial Sequence 103 <220> FEATURE: 104 <223> OTHER INFORMATION: SYNTHETIC POLYNUCLEOTIDE 107 <400> SEQUENCE: 6 108 tcgccggcac ggcaagagta agagatcaca aggaaaagaa gaagagtaga cacaagaagg 60 109 aaagatggaa gc 111 <210> SEQ ID NO: 7 112 <211> LENGTH: 80 113 <212> TYPE: DNA 114 <213> ORGANISM: Artificial Sequence 116 <220> FEATURE: 117 <223> OTHER INFORMATION: SYNTHETIC POLYNUCLEOTIDE 120 <400> SEQUENCE: 7 121 gataagetta teggtteetg egtgtggggt getgtgaaet acaetteega ttgcaaeggt 60 122 gagtgcaaga ggaggggtta 124 <210> SEQ ID NO: 8 125 <211> LENGTH: 109 126 <212> TYPE: DNA 127 <213> ORGANISM: Artificial Sequence 129 <220> FEATURE: 130 <223> OTHER INFORMATION: SYNTHETIC POLYNUCLEOTIDE 133 <400> SEQUENCE: 8 134 ccggatccgt cgacacgttc gcctcgccga gctctcaagt ctcgcaccag cagttcacgt 60 135 tagcgaagga accgcagtga ccaccettgt aacccctcct cttgcactc

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF3\06172002\1673274.raw

137 <210> SEQ ID NO: 9 138 <211> LENGTH: 85 139 <212> TYPE: DNA 140 <213> ORGANISM: Artificial Sequence 142 <220> FEATURE: 143 <223> OTHER INFORMATION: SYNTHETIC POLYNUCLEOTIDE 146 <400> SEQUENCE: 9 147 agggcccct agggtttaaa cggccagtca ggccgaattc gagctcggta cccggggatc 60 148 ctctagagtc gacctgcagg catgc 150 <210> SEQ ID NO: 10 151 <211> LENGTH: 66 152 <212> TYPE: DNA 153 <213> ORGANISM: Artificial Sequence 155 <220> FEATURE: 156 <223> OTHER INFORMATION: SYNTHETIC POLYNUCLEOTIDE 159 <400> SEQUENCE: 10 160 ccctgaacca ggctcgaggg cgcgccttaa ttaaaagctt gcatgcctgc aggtcgactc 60 161 tagagg 163 <210> SEQ ID NO: 11 164 <211> LENGTH: 93 165 <212> TYPE: DNA 166 <213> ORGANISM: Artificial Sequence 168 <220> FEATURE: 169 <223> OTHER INFORMATION: SYNTHETIC POLYNUCLEOTIDE 172 <400> SEQUENCE: 11 173 ccggccagtc aggccacact taattaagtt taaacgcggc cccggcgcgc ctaggtgtgt 60 174 gctcgagggc ccaacctcag tacctggttc agg 176 <210> SEQ ID NO: 12 177 <211> LENGTH: 93 178 <212> TYPE: DNA 179 <213> ORGANISM: Artificial Sequence 181 <220> FEATURE: 182 <223> OTHER INFORMATION: SYNTHETIC POLYNUCLEOTIDE 185 <400> SEQUENCE: 12 186 ccggcctgaa ccaggtactg aggttgggcc ctcgagcaca cacctaggcg cgccggggcc 60 187 gcgtttaaac ttaattaagt gtggcctgac tgg 189 <210> SEQ ID NO: 13 190 <211> LENGTH: 50 191 <212> TYPE: DNA 192 <213> ORGANISM: Artificial Sequence 194 <220> FEATURE: 195 <223> OTHER INFORMATION: SYNTHETIC POLYNUCLEOTIDE 198 <400> SEQUENCE: 13 199 ggtctagaat ggcctgcacc aacaacgcca tgagggccct cttcctcctc 50 201 <210> SEQ ID NO: 14 202 <211> LENGTH: 50 203 <212> TYPE: DNA 204 <213> ORGANISM: Artificial Sequence

206 <220> FEATURE:

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF3\06172002\I673274.raw

207 <223> OTHER INFORMATION: SYNTHETIC POLYNUCLEOTIDE 210 <400> SEQUENCE: 14 211 ccgaattcgg cgccgtgcac gatgcagaag agcacgagga ggaagagggc 50 213 <210> SEQ ID NO: 15 214 <211> LENGTH: 81 215 <212> TYPE: DNA 216 <213> ORGANISM: Artificial Sequence 218 <220> FEATURE: 219 <223> OTHER INFORMATION: SYNTHETIC POLYNUCLEOTIDE 222 <400> SEQUENCE: 15 223 totagaatgg cotgoaccaa caacgocatg agggoootot tootootoot gotottotgc 60 224 atcgtgcacg gcgccgaatt c 226 <210> SEQ ID NO: 16 227 <211> LENGTH: 24 228 <212> TYPE: DNA 229 <213> ORGANISM: Artificial Sequence 231 <220> FEATURE: 232 <223> OTHER INFORMATION: SYNTHETIC POLYNUCLEOTIDE 235 <400> SEQUENCE: 16 24 236 gataagctta tcggttcctg cgtg 238 <210> SEQ ID NO: 17 239 <211> LENGTH: 32 240 <212> TYPE: DNA 241 <213> ORGANISM: Artificial Sequence 243 <220> FEATURE: 244 <223> OTHER INFORMATION: SYNTHETIC POLYNUCLEOTIDE 247 <400> SEQUENCE: 17 32 248 ggctcgagtc aagtctcgca ccagcagttc ac 250 <210> SEQ ID NO: 18 251 <211> LENGTH: 213 252 <212> TYPE: DNA 253 <213> ORGANISM: Artificial Sequence 255 <220> FEATURE: 256 <223> OTHER INFORMATION: SYNTHETIC POLYNUCLEOTIDE 259 <400> SEQUENCE: 18 260 totagaatgg cotgoaccaa caacgocatg agggocotot tootootoot gotottotgc 60 261 atcgtgcacg gcgataagct tatcggttcc tgcgtgtggg gtgctgtgaa ctacacttcc 120 262 gattgcaacg gtgagtgcaa gaggagggt tacaagggtg gtcactgcgg ttccttcgct 180 263 aacgtgaact gctggtgcga gacttgactc gag 265 <210> SEQ ID NO: 19 266 <211> LENGTH: 838 267 <212> TYPE: DNA 268 <213> ORGANISM: Artificial Sequence 270 <220> FEATURE: 271 <223> OTHER INFORMATION: SYNTHETIC POLYNUCLEOTIDE W--> 274 <221> NAME/KEY: promoter 275 <222> LOCATION: (7)...(532)

W--> 277 <221> misc structure

278 <222> LOCATION: (533)...(568)

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF3\06172002\1673274.raw

```
W--> 280 <221> terminator
     281 <222> LOCATION: (569)...(832)
W--> 283 <400> 19
     284 aagcttccag aaggtaatta tccaagatgt agcatcaaga atccaatgtt tacgggaaaa 60
     285 actatggaag tattatgtga gctcagcaag aagcagatca atatgcggca catatgcaac 120
     286 ctatgttcaa aaatgaagaa tgtacagata caagatccta tactgccaga atacgaagaa 180
     287 gaatacgtag aaattgaaaa agaagaacca ggcgaagaaa agaatcttga agacgtaagc 240
     288 actgacgaca acaatgaaaa gaagaagata aggtcggtga ttgtgaaaga gacatagagg 300
     289 acacatgtaa ggtggaaaat gtaagggcgg aaagtaacct tatcacaaag gaatcttatc 360
     290 ccccactact tatcctttta tatttttccg tgtcattttt gcccttgagt tttcctatat 420
     291 aaggaaccaa gttcggcatt tgtgaaaaca agaaaaaatt tggtgtaagc tattttcttt 480
     292 gaagtactga ggatacaact tcagagaaat ttgtaagttt gtagatctcg attctagaag 540
     293 gootgaatto gagotoggta coggatocaa ttoocgatog ttoaaacatt tggcaataaa 600
     294 gtttcttaag attgaatcct gttgccggtc ttgcgatgat tatcatataa tttctgttga 660
     295 attacgttaa gcatgtaata attaacatgt aatgcatgac gttatttatg agatgggttt 720
    296 ttatgattag agtcccgcaa ttatacattt aatacgcgat agaaaacaaa atatagcgcg 780
    297 caaactagga taaattatcg cgcgcggtgt catctatgtt actagatcgg ggatcgat
    299 <210> SEQ ID NO: 20
     300 <211> LENGTH: 1036
     301 <212> TYPE: DNA
     302 <213> ORGANISM: Artificial Sequence
     304 <220> FEATURE:
     305 <223> OTHER INFORMATION: SYNTHETIC POLYNUCLEOTIDE
W--> 308 <221> NAME/KEY: promoter
     309 <222> LOCATION: (7)...(532)
W--> 311 <221> CDS
     312 <222> LOCATION: (539)...(736)
W--> 314 <221> terminator
     315 <222> LOCATION: (767)...(1030)
W--> 317 < 400> 20
     318 aagcttccag aaggtaatta tccaagatgt agcatcaaga atccaatgtt tacgggaaaa 60
     319 actatggaag tattatgtga gctcagcaag aagcagatca atatgcggca catatgcaac 120
     320 ctatgttcaa aaatgaagaa tgtacagata caagatccta tactgccaga atacgaagaa 180
     321 gaatacqtaq aaattqaaaa agaaqaacca qqcqaaqaaa agaatcttga agacgtaagc 240
     322 actgacgaca acaatgaaaa gaagaagata aggtcggtga ttgtgaaaga gacatagagg 300
     323 acacatgtaa ggtggaaaat gtaagggcgg aaagtaacct tatcacaaag gaatcttatc 360
     324 ccccactact tatcctttta tatttttccg tgtcattttt gcccttgagt tttcctatat 420
     325 aaggaaccaa gttcggcatt tgtgaaaaca agaaaaaatt tggtgtaagc tattttcttt 480
     326 gaagtactga ggatacaact tcagagaaat ttgtaagttt gtagatctcg attctaga
                                                                            586
     327 atg gcc tgc acc aac acc gcc atg agg gcc ctc ttc ctc ctc gtg ctc
     328 Met Ala Cys Thr Asn Asn Ala Met Arg Ala Leu Phe Leu Leu Val Leu
     329
     331 ttc tgc atc gtg cac ggc gat aag ctt atc ggt tcc tgc gtg tgg ggt
                                                                            634
     332 Phe Cys Ile Val His Gly Asp Lys Leu Ile Gly Ser Cys Val Trp Gly
                      20
     335 get gtg aac tac act tee gat tge aac ggt gag tge aag agg agg ggt
                                                                            682
     336 Ala Val Asn Tyr Thr Ser Asp Cys Asn Gly Glu Cys Lys Arg Arg Gly
     337
                  35
                                      40
                                                                            730
     339 tac aag ggt ggt cac tgc ggt tcc ttc gct aac gtg aac tgc tgg tgc
```



PCT09

RAW SEQUENCE LISTING

DATE: 06/05/2002

PATENT APPLICATION: US/09/673,274

3/09/673.274 TIME: 17:08:44

Input Set : A:\A33595-PCT-USA sequence listing.txt

Output Set: N:\CRF3\06052002\1673274.raw

4 <110> APPLICANT: LAMBERTY, MIREILLE 5 BULET, PHILLIPE Does Not Comply Corrected Diskette Needer

6 BROOKHART, GARY

7 HOFFMAN, JULES 9 <120> TITLE OF INVENTION: GENE CODING FOR HELIOMICINE, AND USE

10 THEREOF

12 <130> FILE REFERENCE: A33595-PCT-USA

14 <140> CURRENT APPLICATION NUMBER: 09/673,274

C--> 15 <141> CURRENT FILING DATE: 2001-12-18

17 <150> PRIOR APPLICATION NUMBER: PCT/FR99/00843

18 <151> PRIOR FILING DATE: 1999-04-12

20 <150> PRIOR APPLICATION NUMBER: FR 98 04933

21 <151> PRIOR FILING DATE: 1998-04-15

23 <160> NUMBER OF SEQ ID NOS: 38

25 <170> SOFTWARE: FastSEQ for Windows Version 4.0

ERRORED SEQUENCES

557 <210> SEQ ID NO: 38

558 <211> LENGTH: 26

559 <212> TYPE: DNA

560 <213> ORGANISM: Artificial Sequence

562 <220> FEATURE:

E--> 574 ny02:356866.1

563 <223> OTHER INFORMATION: SYNTHETIC POLYNUCLEOTIDE

566 <400> SEQUENCE: 38

567 gcaacaagca ctcagcagcg cagtca

26

VARIABLE LOCATION SUMMARY

PATENT APPLICATION: US/09/673,274

DATE: 06/05/2002

TIME: 17:08:45

Input Set : A:\A33595-PCT-USA sequence listing.txt

Output Set: N:\CRF3\06052002\I673274.raw

Use of n's or Xaa's (NEW RULES):

Use of n's and/or Xaa's have been detected in the Sequence Listing.
Use of <220> to <223> is MANDATORY if n's or Xaa's are present.
in <220> to <223> section, please explain location of n or Xaa, and which residue n or Xaa represents.

Seq#:38; N Pos. 27